

BC400R

Power Supply/Battery Enclosure

Altronix BC400R is a UL Recognized NEMA 1 Rated power supply/battery enclosure that can accommodate a wide variety of Altronix power supplies, sub-assemblies, and accessories. Altronix enclosures feature ample knockouts that are suitable for 3/4" and 1" conduits.



BC400R

Specifications**Features**

- 19 Gauge steel enclosure
- Ample knockouts accommodating either 3/4" or 1" conduits for convenient access
- Cam lock and keys are included

Capacity

- Fits two (2) 12VDC/12AH batteries

Agency Listings

Component Enclosure USR, CNR:

UL Recognized

Physical and Environmental

Dimensions (H x W x D)

15.5" x 12" x 4.5" (393.7mm x 304.8mm x 114.3mm)

Product Weight 7.8 lb. (3.54kg)

Shipping Weight 9.1 lb. (4.13 kg)

Accessories (order separately)

BCS4R

BCS4R

Red bracket fits BC400R enclosure to allow additional two (2) 12VDC/12AH batteries
Increases capacity to up to four (4) 12VDC/12AH batteries

Also Available

BC400SR - enclosure with bracket




BC400SR

BC400R

Power Supply/Battery Enclosure

Product Position Chart for the Following Models:

Altronix Products	Mounting
ACM8, ACM8CB, ACMS8, ACMS8CB, AL300ULXB, AL400ULXB2, AL600ULXB, AL1012ULXB, AL1024ULXB2, eFlow3NB, eFlow4NB, eFlow6NB, eFlow102NB, eFlow104NB, LINQ8ACM, LINQ8ACMCB, OLS75, OLS120, OLS120D2, OLS180, OLS250	Ⓐ
ACM4, ACM4CB, AL175ULB, LINQ8PD, LINQ8PDCB, MOM5, PD4UL, PD4ULCB, PD8UL, PD8ULCB, PDS8, PDS8CB	Ⓑ



BC400R

Power Supply/Battery Enclosure

Dimensions and Drawing

Dimensions (H x W x D approximate)

15.5" x 12" x 4.5" (393.7mm x 304.8mm x 114.3mm)

